



REV	DESCRIPTION	DWG CHECK	APPR BY	APPR DATE

A-A



Logo  
 PSN:model  
 SW:\*\*  
 NO:drawing number  
 MAX:max preload



MAX PRELOAD CAPACITY	3370 KN
LUBRICANT	G-N PLUS
TEMPERATURE RATING	-25 C~250 C

DESIGNED: DATE: 2025.12.01	FNH-80X6	DWG NO: FN8061H	SHEET: 1:1
REVIEWED: DATE: 2025.12.01			
DRAWN: DATE:		PRELIMINARY APPROVED	

PARTS LIST				MATERIAL	WEIGHT(kg)
PART	DWG NO.	QTY	DESCRIPTION	CNMMo	4.32
1	FN8061H-1	1	Nut M80X6	CNMMo	0.88
2	FN8061H-3	1	Gasket 145X82X10	CNMMo	0.88

During on-site installation, please adjust the torque in conjunction with the bolt stretching distance. Without our authorization, the drawings shall not be shared with any third party, and we reserve the right to pursue legal liability against those who disclose the drawings to external parties.

上海康普曼传动机械有限公司  
 KPM Power Transmission (Shanghai) Co.,Ltd  
 +86 021-61301856  
 Liang.Guo@kpmdrive.com.cn